



WATERPROOFING SYSTEMS

BITUMINOUS

EXTRALARGE + WHITEGLASS
EXTRALARGE + FREEWAY
EXTRALARGE UNDERFLOOR
EXTRALARGE DIFFICULT SURFACES
EXTRALARGE FOUNDATIONS
EXTRALARGE ALLUMINATO

RESIN HTP

MAGIKA

ACRILYCS

MEMBRANA GOLD
MEMBRANA GOLD FIBRE-REINFORCED
RESINFIBRA
STARGLASS

CEMENTITIOUS

BIGUM

POLYURETHANIC

POLIGOLD
POLISUPER

Whiteglass



**PROTECTIVE FOR SHEATH
EXCELLENT REFLECTANCE**

THE SYSTEM:



**PROTECTS AND GUARANTEES
ENERGY SAVINGS**

WHY EXTRALARGE+WHITEGLASS

EXTRALARGE

**ENSURES PERFECT WATERPROOF
AND ELASTICITY OF THE COAT**

WHITEGLASS

**THE HIGH POWER OF
REFLECTANCE GREATLY IMPROVES
THE SHIELD FROM HEAT; THE
COMPARTMENT UNDER THE
WATERPROOF SURFACE WILL
HAVE TEMPERATURES LOWER
THAN 5/6 ° C**

USEFUL TO WATERPROOF


**ALL SUBSTRATES, ALLOWING TO
EXTEND THE "LIFE" OF
WATERPROOFING COVER AND REDUCE
THE HEAT FLOW TO THE
COMPARTMENT BELOW**

PROTECTIVE LINE

Cimar®

WATERPROOFING, INSULATION AND ENERGY SAVING

reflective
BITUMINOUS
system



the ecological alternative



CE EN 1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*



CE EN 1504-2

1. Primer 70 metri

300 gr/smq in 2 coats
of 150 gr/smq per coat

2. EXTRALARGE

used as glue
300 gr/smq

3. POTENZIO Cimar tissue

4. EXTRALARGE

1st coat, 1 kg/sqm

5. EXTRALARGE

2nd coat, 1 kg/sqm

6. WHITEGLASS*

500 gr/smq applied
in 2 layers 250 gr each*

*The first coat must be diluted with 20% water to ensure greater penetration

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

2,33€

0,70€

1 mq

PRICE
per sqm

1,85€

1,85€

2,3 kg

6,58€

15,13€

0,5 kg

6,80€

3,40€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm

21,08€

Freeway®

WALKABLE WATERPROOFING

**HIGHLY WALKABLE
AND NON-SLIP**

SPORT & COLOR

Sports Paving
Walkable Covering

**ACRYLIC FLOORING
WEAR RESISTANT**

ACRYLIC
FLOORING

THE SYSTEM:



+



**ENLIVE YOUR
WATERPROOFING MANTLE**

WHY EXTRALARGE+FREEWAY

EXTRALARGE

**BITUMINOUS LIQUID
WATERPROOFING MEMBRANE**

FREEWAY

**PEDESTRIAN WATERPROOFING
COATING, ACRYLIC- BASED**

**CAN ALSO BE USED AS A BASE
FOR TABLES, CHAIRS, SWINGS,
PLANTS. IDEAL FOR TERRACES,
CANOPIES, ROOFS**



+



WHY EXTRALARGE+SPORT&COLOR

EXTRALARGE

**BITUMINOUS LIQUID
WATERPROOFING MEMBRANE**

SPORT&COLOR


**ACRYLIC FLOORING RESISTANT TO
MECHANICAL WEAR**

NON-SLIP EVEN IN WET CONDITIONS

Cimar®

WATERPROOFING AND LIVEABLE SURFACES

livability of the surface
BITUMINOUS
system



the ecological alternative




CE EN 1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*



Available colors:



1. Primer 70 metri

300 gr/smq in 2 coats
of 150 gr/smq per coat

2. EXTRALARGE

used as glue
300 gr/smq

3. POTENZIO Cimar tissue

4. EXTRALARGE

1st coat, 1 kg/smq

5. EXTRALARGE

2nd coat, 1 kg/smq

6. FREEWAY / SPORT&COLOR*

2 kg/smq

*Extralarge must be completely cured (10/15 days from application), perfectly clean (dirt and dust prevent perfect adhesion); for better adhesive strength, use Primer C.

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

2,33€

0,70€

1 mq

PRICE
per sqm

1,85€

1,85€

2,3 kg

6,58€

15,13€

2 kg

6,50€


13,00€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

TOTAL PRICE per sqm
30,68€

*warranty valid for all applications over 400 mq that meet the instructions

W A T E R P R O O F I N G S Y S T E M S



BITUMINOUS
WATERPROOFING


bituminous waterproofing
UNIVERSAL

**THE N.1 ENEMY
OF INFILTRATION**

**WHY
EXTRALARGE UNDERFLOOR**

HIGH PROTECTION FROM WATER

**10-YEAR WARRANTY OF
IMPERMEABILITY**

**IT IS THE LIQUID WATERPROOFER
FOR EXCELLENCE, IT RESISTS THE
WATER STAGNATION
AND IS PARTICULARLY ELASTIC**

**FOR APPLICATIONS ABOVE 400 MQ
THE WARRANTY IS COVERED BY
UNIPOL-SAI ASSICURAZIONI**


USEFUL TO WATERPROOF

**ANY SURFACE THAT MUST BE
PROTECTED FROM WATER.**

**ALSO SURFACES THAT PRESENT
AN IRREGULAR SLOPE**


Cimar®

underfloor
BITUMINOSO
system



the ecological alternative



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

CE EN 1504-2



MAXIMUM EFFECTIVENESS IN DEFENDING YOURSELF FROM INFILTRATION

1. Primer 70 metri

300 gr/smq in 2 coats
of 150 gr/smq per coat

2. EXTRALARGE

1st coat, 1 kg/sqm

3. EXTRALARGE

2nd coat, 1 kg/sqm

4. POTENZIO Cimar tissue

glued with
EXTRALARGE 300 gr/smq

5. Super K floor glue

we recommend

5 kg/sqm

6. Floor

For surfaces greater than 3 meters, an additional layer of Potenzio fabric must be inserted between the primer and the first coat of Extralarge, glued with EXTRALARGE 300 gr/sqm

In bad weather conditions, Cimar recommends using SPEEDY, the drying accelerator

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

2,33€

0,70€

2,3 kg

6,58€

15,13€

1 mq

PRICE
per sqm

1,85€

1,85€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm

17,68€

FOR SURFACES WITH A SIDE
GREATER THAN 3 METERS

> **21,51€**

W A T E R P R O O F I N G S Y S T E M S

BITUMINOUS
WATERPROOFING


EXTRALARGE
bituminous waterproofing
UNIVERSAL

FOUNDATION WATERPROOFING

WHY EXTRALARGE

VERY HIGH PERCENTAGE OF
BITUMEN: ELASTIC AND
WATERPROOFING PRODUCT

IT ADHERES PERFECTLY TO THE
SURFACE.

IT DOESN'T REQUIRE OPEN FLAME
FOR APPLICATION

IT IS A MONOLITHIC
SYSTEM SEAMLESSLY
EXTREMELY LIGHT: IT IS ONLY
2 MM THICK

USEFUL TO WATERPROOF


FOUNDATION, WALLS AGAINST
GROUND, HANGING GARDENS
AND PLANTERS

IT IS ANTI-ROOT


Cimar[®]

DEFENSE OF THE FOUNDATIONS

system
BITUMINOUS
for foundation



the ecological alternative



CE EN 1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*



TEXTURED MEMBRANE/PVC Sheet
To protect the waterproofing
during backfilling work
(not included in the supply)

1. Primer 70 metri

300 gr/smq in 2 coats
of 150 gr/smq per coat

2. POTENZIO Cimar tissue

glued with
300 gr/smq Extralarge

3. EXTRALARGE (anti-root)

1 Kg/sqm
first coat

4. EXTRALARGE (anti-root)

1 Kg/sqm
second coat

Textured Membrane or PVC
Sheet with heavy weight

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

2,33€

0,70€

1 mq

PRICE
per sqm

1,85€

1,85€

2,3 kg

6,58€**

15,13€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET


*warranty valid for all applications over 400 mq that meet the instructions

**+ € 0,30/kg (net of discount) for anti-root version

TOTAL PRICE per sqm

17,68€

W A T E R P R O O F I N G S Y S T E M S



**BITUMINOUS
WATERPROOFING**


EXTRALARGE®
alluminato
UNIVERSAL

**THE READY COLOURED
BITUMINOUS MEMBRANE**

**WHY
EXTRALARGE ALLUMINATO**

ALUMINUM PIGMENTS, MERGED WITH
BITUMEN, GENERATE A READY
COLOURED MOLECULE OF TOP
QUALITY AND DURABILITY
IT LASTS LONGER
NO COSTS OF APPLICATION OF THE
PROTECTIVE

MAINTENANCE NOT REQUIRED FOR AT
LEAST 5 YEARS OR TEN YEARS IF THE
SURFACE IS NOT USED INTENSELY

USEFUL TO WATERPROOF


SURFACES IN CONCRETE, TILES,
WOOD, BITUMINOUS SHEATHS
AND METALLIC SHEETS

SURFACES WITH IRREGULAR SLOPE


Cimar®

FIVE-YEAR MAINTENANCE WITH ALUMINIZED BITUMEN

aluminato
BITUMINOUS
system



the ecological alternative



CE EN 1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*



+



1. Primer 70 metri

300 gr/smq in 2 coats
of 150 gr/smq per coat

2. EXTRALARGE

used as glue
300 gr/smq

3. POTENZIO Cimar tissue

4. EXTRALARGE

1 kg/sqm

5. EXTRALARGE Alluminato

1 kg/sqm

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

2,33€

0,70€

1 mq

PRICE
per sqm

1,85€

1,85€

1,3 kg

6,58€

8,55€

1 kg

9,81€

9,81€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm

20,91€

W A T E R P R O O F I N G S Y S T E M S

BITUMINOUS
WATERPROOFING


bituminous waterproofing
UNIVERSAL

**UNBEATABLE EVEN
ON DAMAGED SURFACES**

**WHY
EXTRALARGE ON DAMAGED BASIS**

**USED WITH CIMAR PRODUCTS:
PRIMER, GHOST OR 70 METRI GOLD ,
EXTRALARGE ADHERES PERFECTLY
ON ANY SURFACE**

**GUARANTEED WATERPROOFING,
FOR APPLICATIONS OVER 400 mq,
IS ALSO VALID ON DIFFICULT
SUPPORTS**


USEFUL TO WATERPROOF

SHEATHS AND SHEETS

WORN SHEATHS WITH INFILTRATION

NEVER MORE RUST ON METALLIC SURFACES

system
BITUMINOUS
for metallic surfaces



1. Metal or Sheet

2. GHOST

300 gr/smq in 2 coat
of 150 gr/smq per coat

3. POTENZIO Cimar tissue

glued with
300 gr/smq of Extralarge

4. EXTRALARGE

1st coat 1 kg/sqm

5. EXTRALARGE

2nd coat 1 kg/sqm

6. Cimar protective

300 - 500 gr/smq

TOTAL PRICE per sqm

21,00€




CE EN1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

TO REPAIR THE IRREPARABLE

system
BITUMINOUS
for worn sheaths



1. Worn sheaths with infiltration

2. PRIMER 70METRI GOLD

300 gr/smq in 2 coats
of 150 gr/smq per coat

3. POTENZIO Cimar tissue

glued with
300 gr/smq of Extralarge

4. EXTRALARGE

1st coat, 1 kg/sqm

5. EXTRALARGE

2nd coat, 1 kg/sqm

6. Protettivo Cimar

300 - 500 gr/smq

TOTAL PRICE per sqm

19,83€



CE EN1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

W A T E R P R O O F I N G S Y S T E M S



magika[®]
Liquid waterproofing solvent-based resin

**LIQUID RESIN
High-Tech-Performance**

WHY MAGIKA?

HIGH RESISTANCE TO STRESS AND TO
LOW TEMPERATURES
IT CAN BE APPLIED EVEN IN ADVERSE
WEATHER CONDITIONS
(HUMIDITY 85% AND
TEMPERATURE - 5°C)

HIGH PERFORMANCE: QUALITY,
ELASTICITY, WATERPROOFING, LONG
LASTING AND RESISTANCE
FAST DRY

MAGIKA ALLOWS YOU TO COMPLETE
YOUR JOB IN JUST ONE WORKING DAY

USEFUL TO WATERPROOF

ANY SURFACE, GUARANTEEING
RESISTANCE TO UV-RAY

MAGIKA WATERPROOFING IS
INSURED BY UNIPOLSAI


LIQUID RESIN
H.T.P.

Cimar[®]

MAGIKA

THE FUTURE'S HAPPENING

system
RESIN H.T.P.



Available colors:



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

CE EN 1504-2

1. Support

2. Primer

MAGIKA diluted with KSOL to 40%*

from 150 to 300 gr/smq
in 1 coat

3. MAGIKA

1st coat, 1,25 kg/sqm

4. POTENZIO Cimar tissue

5. MAGIKA

2nd coat, 1,25 kg/sqm

*Primer is necessary on cementitious, metallic, old bitumen-polymer membranes, wood, PVC sheets, tiles, green roofs surfaces.

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

7,82€

2,34€

1 mq

PRICE
per sqm

1,85€

1,85€

2,5 kg

9,10€

22,75€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm

26,94€

W A T E R P R O O F I N G S Y S T E M S

Resin FIBRA

INTEGRATED WATERPROOFING SYSTEM

**RESISTS TO WATER
STAGNATION
REDUCES COSTS AND WORK**

WHY PRIMER FIBRA + RESINFIBRA

**TO COMPACT DIFFICULT SUPPORTS
THANKS TO SOLIDITY AND
RESISTANCE OF GLASS FIBER**

**RESINFIBRA GUARANTEES
MAXIMUM RELIABILITY EVEN IN THE
PRESENCE OF WATER RESISTANCE**

**COMBINES REDUCTION OF COSTS
AND SIMPLICITY OF APPLICATION
TO AN EXCELLENT
QUALITY STANDARD**

USEFUL TO WATERPROOF

**THE SYSTEM IS IDEAL FOR
IRREGULAR SURFACES AND
UNEVEN FLOORS**

**AS AN ALTERNATIVE TO
RESINFIBRA, YOU CAN USE
POLIGOLD, IF YOU WANT MORE
PERFORMANCE, WALKABILITY AND
A MORE PLEASANT AESTHETICS**


**MEMBRANA GOLD F.R. AS SECOND
COAT, IF YOU INTEND TO FLOOR**

**ACRYLIC
WATERPROOFING**


Cimar®

MEMBRANA GOLD + POTENZIO: WATERPROOFING WILL HAVE NO MORE WEAK POINTS

high resistance
ACRYLIC
system



Available colors:



CE EN 1504-2



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

reflective sheath



CE EN 1504-2

1. Primer C*

300 gr/smq in 2 coats
da 150 gr/smq per coat

2. MEMBRANA GOLD

1st coat, 1 kg/sqm

3. POTENZIO Cimar tissue

4. MEMBRANA GOLD or STARGLASS reflective sheath

2nd coat, 1 kg/sqm

*or MEMBRANA GOLD diluted with 30% of water
(in single coat of 300 gr/mq).

Use ULTRAGRIP for non-absorbent substrates in ceramics.

CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,3 kg

6,91€

2,07€

1 mq

PRICE
per sqm

1,85€

1,85€

2 kg

6,48€

12,96€

1 kg

7,00€

7,00€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

FOR THE WORKS WITH
STARGLASS REFLECTIVE SHEATH

TOTAL PRICE per sqm

16,88€

> 17,40€

W A T E R P R O O F I N G S Y S T E M S



Membrana[®]
Gold

**EFFECTIVE UP AND
UNDER-FLOOR**

WHY MEMBRANA GOLD FR

**RESISTANT TO WATER
STAGNATIONS**

RESISTANT TO UV RAYS

**5 YEARS WARRANTY MINIMUM
DURABILITY WITHOUT
MAINTENANCE**

HIGH FLEXIBILITY UP TO -20°C

**THE 10-YEARS WARRANTY
UNIPOL-SAI IS AVAILABLE
FOR UP AND
UNDERFLOOR SYSTEMS**

USEFUL TO WATERPROOF

**TILES, WOOD, BITUMINOUS
MEMBRANES AND METAL
SHEETS**

**PERFECT FOR LARGE AREAS
AND TO OBTAIN
WALKABLE SURFACES WITHOUT
THE NEED OF
APPLYING TISSUE**


**TILING WITHOUT
INTERPOSING THE FABRIC**

**ACRYLIC
WATERPROOFING**


Cimar[®]

MEMBRANA GOLD ACRYLIC FIBER-REINFORCED MULTI-PURPOSE

system
ACRYLIC
Yes fiber, No fabric



Available colors:



CE EN 14891
CE EN 1504-2



**GUARANTEED
WATERPROOFING
with UNIPOL-SAI*
application
over 400smq**



1. Primer C*

300 gr/smq in 2 coats
of 150 gr/smq per coat

2. MEMBRANA GOLD FR

1st coat, 1 kg/sqm

3. MEMBRANA GOLD FR

2nd coat, 1 kg/sqm**

Super K glue for tiles***

up to 5 kg/sqm

*or MEMBRANA GOLD diluted with 30% of water
(in single coat of 300 gr/mq).

Use ULTRAGRIP for non-absorbent substrates in ceramics

**It is necessary to cross the two coats of MEMBRANA GOLD FR.

***If you want to pave.

**CONSUMPTION
per sqm**

**PRICE
per kg**

**TOTAL
per sqm**

0,3 kg

6,91€

2,07€

2 kg

7,00€

14,00€

5 kg

1,11€

5,55€

**BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET**

*it is recommended to reinforce the points of greatest structural stress
(corners and joints) with Membrana Gold and Potenzio band

FOR WORKS WITH
USE OF SUPER K, GLUE FOR TILES

TOTAL PRICE per sqm

16,07€

> 21,62€

W A T E R P R O O F I N G S Y S T E M S

ACRYLIC
WATERPROOFING

Membrana
GOLD

**LEADER AMONG LIQUID
WATERPROOFING PRODUCTS**

WHY MEMBRANA GOLD

**RESISTANT TO WATER
STAGNATIONS**

RESISTANT TO UV RAYS

**5 YEARS WARRANTY MINIMUM
DURABILITY
WITHOUT MAINTENANCE**

HIGH FLEXIBILITY UP TO -20°C

USEFUL TO WATERPROOF


**SUBSTRATES SUCH AS CEMENT,
TILES, WOOD, BITUMINOUS
MEMBRANES AND METAL**

PERFECT FOR LARGE AREAS

Cimar[®]

FOR THE MOST DIFFICULT SURFACES

difficult support
ACRYLIC
system



1. Primer Fibra diluted 1 to 5 with water recommended*

2. POTENZIO Fibra from 300 gr/smq

3. Primer Fibra 800 gr/smq

4. RESINFIBRA 1st coat 750 gr/smq

5. RESINFIBRA 2nd coat 750 gr/smq

*recommended application for cleaning the support



CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,800 kg

6,30€

5,04€



1 mq

PRICE
per sqm

3,84€

3,84€



GUARENTEED
WATERPROOFING
with UNIPOL-SAI*

CE EN 1504-2

1,5 kg

6,10€

9,15€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm
18,03€

W A T E R P R O O F I N G S Y S T E M S

CEMENTITIOUS
WATERPROOFING



FLEXIBLE AND WATERPROOF

WHY BIGUM

**HIGH WATERPROOFING,
ELASTICITY AND FLEXIBILITY**

**EASY TO PREPARE: REQUIRES ONLY
MIXING WITH WATER**

**HIGH WATERPROOFING
STANDARDS ALSO ON VERTICAL
SURFACES**

**EASY TO APPLY AND
SELF-LEVELLING**

USEFUL TO WATERPROOF

**TERRACES, POOLS AND
BALCONIES BEFORE
TILES APPLICATION**


**PERFECT FOR CEMENT AND
MASONRY STRUCTURES**

**THE HIGH BREATHABILITY OF THE
PRODUCT MAKES IT IDEAL FOR
WATERPROOFING
VERTICAL WALLS**



BIGUM: MONOCOMPONENT IN BUCKET READY TO USE

underfloor
CEMENTITIOUS
system



1. BIGUM

1,5 kg/sqm
(first coat)

2. Rete 4x4

glass fiber or synthetic

3. BIGUM

1,5 kg/sqm
(second coat)

4. Super K glue for tiles

up to 5 kg/sqm

5. Floor

Minimum slope should be 1,5%.
Expansion joints could be necessary.



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

CE EN 14891

The square mesh is not included in the supply.



CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

3 kg

4,10€

12,30€

5 kg

1,11€

5,55€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm
17,85€

W A T E R P R O O F I N G S Y S T E M S

POLYURETHANE
WATERPROOFING

POLi
Cimar  **GOLD**

THE BREATHABLE WATERPROOFING

WHY POLIGOLD

POLYURETHANES ALLOW
BREATHABILITY AND
TRANSITABILITY

HIGH RESISTANCE TO WEATHER
ADVERSITIES AND TO
FREEZE - THAW CYCLES

MINIMUM DURABILITY OF 7 YEARS
WITHOUT MAINTENANCE, UP TO 12
YEARS WITH AN EXTRA COAT OF
THE PRODUCT

USEFUL TO WATERPROOF


ANY SURFACE THAT SHOULD BE
PROTECTED FROM WATER, BOTH
VERTICALLY AND HORIZONTALLY

ON SUBSTRATES SUCH AS CEMENT
AND WOOD,
IT FAVOURS THE NATURAL
TRANSPIRATION

 **Cimar**[®]

THE WATERPROOFING BEAUTIFUL TO SEE AND TO LIVE

Breathable
POLIURETHANE
System




(diluted with 20% of water)

CE EN 1504-2



Available colors:



**GUARANTEED
WATERPROOFING
with UNIPOL-SAI***

CE EN 1504-2

1. POLIGOLD (diluted with 20%)

300 gr/smq per coat
in 1 coat*

2. POLIGOLD

1st coat, 800 gr/smq

3. POTENZIO Cimar tissue

4. POLIGOLD

2nd coat, 800 gr/smq

*The use of bituminous primer would limit the breathability of the substrate.

**CONSUMPTION
per sqm**

**PRICE
per kg**

**TOTAL
per sqm**

0,3 kg

7,33€

2,20€

1 mq

**PRICE
per sqm**

1,85€

1,85€

1,6 kg

9,16€

14,66€

**BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET**

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm

18,71€

W A T E R P R O O F I N G S Y S T E M S

POLYURETHANE
WATERPROOFING

POLi
SUPER

**COATS AND PROTECTS
ANY SURFACE**

WHY POLISUPER

IT IS APPLIED DIRECTLY ON THE
SURFACE ON WHICH THERE ARE
INFILTRATION, AND THEREFORE
AVOIDS ITS REMOVAL

IT CREATES AN INVISIBLE BARRIER
ON ANY SURFACE
PROTECTING IT FROM WATER

POLISUPER, APPLIED ON CIMAR
WATERPROOFING SYSTEMS,
GUARANTEES THE VIVABILITY OF
THE COVER AND PRESERVES IT
FROM ORDINARY WEAR

USEFUL TO WATERPROOF


ALL KIND OF SURFACES, EVEN
FOUNTAINS AND TANKS

PERFECT TO PAVE LARGE
COMMERCIAL AREAS,
CONSTANTLY SUBJECT TO HEAVY
WEAR AND INDUSTRIAL CLEANING

Cimar[®]

POLISUPER: AVOID REMOVAL OF DAMAGED SURFACE

Transparent
POLYURETHANE
System



1. TILES/SURFACE

2. POLIPRIMER*

100/150 gr/smq

3. POLISUPER

1st coat, 250 gr/smq

4. POLISUPER

2° mano, 250 gr/smq

*If you intend to give color to the surface, before applying Polisuper, Cimar can recommend various solutions.



CONSUMPTION
per sqm

PRICE
per kg

TOTAL
per sqm

0,1 kg

39,06€

3,91€



GUARANTEED
WATERPROOFING
with UNIPOL-SAI*

CE EN 13813

0,5 kg


50,00€

25,00€

BEFORE APPLICATION
CONSULT TECHNICAL DATA SHEET

*warranty valid for all applications over 400 mq that meet the instructions

TOTAL PRICE per sqm
28,91€



Last. Rev. SEPTEMBER 2021

Cimar[®]

CIMAR PRODUZIONE surl

• Establishment in via Mecio Gracco 8 (zona ind.) • 84131 - Salerno
• tel. e fax: 089 302418 • www.cimarproduzione.com • info@cimarproduzione.com

