

WORK IN PROGRESS... TWO BIG NEWS ARE COMING SOON

MAT300

LIQUID WATERPROOFING

- Solvent based product.
- Ideal for difficult substrates.
- Very fast drying.
- Avoid removing media affected by infiltrations.
- Solidity and flexibility.

POYMER WITRA

- Based on moisture-hardening silanes.
- Breathable.
- It works in push and counter-thrust.
- Very fast drying.
- It has 100% dry residue.



Founded in 1992, after more than twenty years of intense research into liquid waterproofing agents: bituminous, acrylic and cementitious, Cimar has completed its product range with the polyurethane line. In addition to its core business of liquid waterproofing, Cimar offers its customers a wide range of protective agents and primers that guarantee the maximum effectiveness of every waterproofing system, on any type of substrate.

Cimar, with an eye to the past and one to the future, offers its customers:

- Production stability, proven over time.
- · Constant innovation, which allows you to approach and solve the delicate problems related to water protection.

Cimar for the environment

90% of Cimar products are obtained in water emulsion and do not impact the environment. Compared to traditional solvent-based products, water-based products have significant advantages, both from an ecological point of view and in terms of transport and storage.

















THE BETTER ALTERNATIVE TO MEMBRANE ROLLS

Bituminous liquid waterproofing membrane. Compared to the usual membrane rolls, Extralarge has considerable advantages: it doesn't require open flame for application, it is a monolithic system, it guarantees greater elasticity and resistance, it eliminates costs of removing and disposing of old membrane rolls and restores their waterproofing properties. The civil liability related to product defects can be guaranteed for 10 years with Unipol-Sai policy, upon request of the applicator, for applications over 400 m²

Primer: water or solvent based bituminous primer.

Supports

any type

Consumption

2 - 2,3 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Dilution

dilution with water: max 5%

Also available in cartridge.





Expositor 02/2020

Colour

black

new formula

XL

DEFENDS YOUR FOUNDATIONS

The liquid bituminous water-based waterproofing membrane Extralarge can be enriched with special rubber granules (Strong version) that make it more suitable to stress, puncturing, cutting and compression, compared to its standard version. Moreover, Extralarge is also available in "root-resistant version" particularly suitable for the protection of foundations, walls against the ground, gardens and flower boxes.

INTEGRATED WATERPROOFING SYSTEMS

Thanks to the synergy between Extralarge and other Cimar products, it is possible to create Reflective, Walkable and Underfloor waterproofing systems Application Standard:

- 1... Primer 70 Metri
- 2... Extralarge (used as a fabric glue)
- 3... Potenzio (Cimar armour tissue)
- 4... Extralarge (first coat)
- 5... Extralarge (second coat)
- 6... Cimar Protective / Coating

Price List

18 Kg...€ 6,58/Kg 10 Kg.....€ 7,80/Kg 5 Kg...... 8,50/Kg€ 15,90/Pc* Cartridge...... 10,00/Pc

Root resistant version + € 0,30/Kg net of discounts *piece

Expositor 01/2020





48 Cartucce 24 Idrogenius 40 Extralarge 1,5 Kg







THE BITUMINOUS MEMBRANE BORN COLOURED

Two-component liquid bituminous waterproofing membrane, enriched with aluminium pigments which, melt with bitumen, creates an already coloured product with reflective properties. Replace both the second coat of Extralarge and the subsequent protective coat, reducing application and maintenance costs. Extralarge Aluminato, combined with Extralarge, forms an integrated waterproofing system.

Supports

only Extralarge

Consumption

1 Kg/m²

Equipment

brush, spatula, roller and airless

Price List

Kit 13,5 Kg.....€ 132,50/Pz

Colour aluminum



maximum dilution



(*) Imar WATERPROOFING









also available in ROOT RESISTANT and FR version

UNIVERSAL BITUMINOUS

It is less flexible than Extralarge but much cheaper and maintains the same waterproofing qualities on any support. Thanks to its high adhesive power, it is particularly suitable for gluing insulating panels.

Primer: water or solvent based bituminous primer.

Also available in **ROOT RESISTANT version**

Root resistant version + € 0,30/Kg net of discounts

Also available in FR fibre-reinforced version FR version + € 0,20/Kg net of discounts

MULTIPURPOSE BITUMINOUS PASTE

external walls.

It suits itself to a multitude of uses. Cold asphalt is

commonly used for the repair of bituminous sheaths

with micro-cracks. It can also be used as a waterproo-

fing agent for walls, roofs, tanks (not intended to contain drinking water), vapour barrier in the thermal

isolation; suitable for the anti-humid coating of

Primer: water or solvent based bituminous primer.

Supports

any type

Consumption

2 - 2,3 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Price List

18 Kg.....€ 4,14/Kg€ 5,90/Kg 10 Kg..... € 4,98/Kg 1,5 Kg......





Asfalto a freddo

Supports

any type

Consumption

0,5 - 1 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Price List

18 Kg... ...€ 2,15/Kg Colour black







G

ce Membrana





WATERPROOFS AND COLORS

Resin-based, elastic and coloured liquid waterproofing membrane. It is a water-based, fast-drying product used for various substrates such as: steel sheets, plasters, walls against the ground and cementitious substrates. It can be used to repair and revitalise old bituminous membranes.

Primer: Primer C or Membrane diluted 20-25% with water.

Also available in FR fibre-reinforced version

FR version + € 0,20/Kg net of discounts

Supports

any type

Consumption

2 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Price List

20 Kg...€ 4,64/Kg - Verde € 5,50/Kg ...€ 5,50/Kg - Verde € 6,49/Kg 10 Kg. ...€ 6,30/Kg - Verde € 7,44/Kg 5 Kg.. ..€ 12,00/Pz - Verde € 14,16/Pz 1,5 Kg..

Colours

black, green, grey, red, white





er 400 m







GUARANTEES WATER RESISTANCE OVER TIME

Liquid waterproofing cover, enriched with resins and additives that make it waterproof and durable. It is used for waterproofing terraces, water ducts, sheets, plasters and for restoring the imperviousness of wornout membrane rolls. Resistant to water stagnation and ultraviolet rays. Does not fear low temperatures, guarantees flexibility and durability down to -20°C. It is certified for asbestos encapsulation (report nº 127344 Istituto Giordano).

Primer: Primer C or Membrana Gold diluted 30-35% with

Supports

any type

Consumption

2 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

20 Kg...... € 6,48/Kg - white € 6,97/Kg - green € 7,46/Kg

10 Kg......€ 7,78/Kg - white € 8,37/Kg - green € 8,95/Kg

5 Kg.........€ 9,00/Kg - white € 9,68/Kg - green € 10,35/Kg

1,5 Kg......€ 15,40/Pz - white € 16,56/Kg - green € 17,71/Kg













EFFECTIVE BOTH EXPOSED AND UNDERFLOOR

Coloured waterproofing membrane reinforced with special polypropylene fibres. It guarantees resistance to stress and mantle walkability. It allows the application to flooring without applying the fibre mesh. Resistant to water stagnation. Does not fear low temperatures. Civil liability can be guaranteed for 10 years with a Unipol-Sai policy, upon request of the applicator, for all underfloor work over 400 m² For the application of tiles and flooring on Membrana Gold FR, Cimar recommends its specific adhesive SuperK (see at pag. 14). Primer: Primer C or Membrana Gold diluted 30-35% with water.

Supports

any type

Consumption

2 Kg/m² applied in two layers

Equipment

brush, spatula, rubberized squeege

Listino Prezzi

20 Kg......€ 7,00/Kg - white € 8,05/Kg - green € 8,05/Kg

10 Kg...... € 8,16/Kg - white € 8,78/Kg - green € 9,39/Kg

1,5 Kg.....€ 15,40/Pz - white € 16,56/Kg - green € 17,71/Kg

5 Kg........€ 9,15/Kg - white € 9,84/Kg - green € 10,53/Kg





magik







WITH UNIPOL-SAI over 400 m

MAXIMUM STRENGTH AND FLEXIBILITY

Magika is an innovative product that allows the application waterproofing with high mechanical resistance. It can be applied even in adverse weather conditions thanks to its very fast drying time. It is also resistant to very low temperatures, down to -40°C. Resistant to water stagnation, it can also be applied on flat surfaces. Primer: on concrete, wood, metal, pvc, slate and tiles, apply a first coat of product of 2-300 gr/m² diluted with KSOL specific solvent.

KSOL solvent 4 Kg...... € 4,90/Kg KSOL 800 gr..... € 6,50/Pc

any type; suitable as protection against reinforced concrete degradation

Consumption

2 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Price List

18 Kg....€ 9,10/Kg - white € 13,00/Kg - aluminium € 10,30/Kg 4 Kg......€ 12,00/Kg - Bianco € 17,60/Kg - aluminium € 13,60/Kg

Colours

white, grey, red, aluminum





eady

Starglass







C

W

A

E

R

R

0

G

IMPERVIOUS TO WATER. REFLECTIVE TO SUNSHINE

Liquid acrylic waterproofing with a high solar reflectance index (greater than 105 SRI). The high reflectance index contributes to heat reduction absorbed by the substrate and mitigates the temperature inside buildings by lowering it by an average of 5-6°C, thus promoting significant energy savings. STARGLASS is self-cleaning.

Primer: Primer C or Starglass diluted 20-25% with water.

made with: Glass Bubbles

Supports

any type

Consumption

2 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Price List

20 Kg.....€ 7,00/Kg€ 9,80/Kg

10 Kg..... .€ 8,10/Kg





Colour

white

TH UNIPOL-SAI over 400 m







THE PRACTICAL AND ECONOMICAL ACRYLIC WATERPROOFING

Waterproofing water-based acrylic, elastic and resistant to stress. Combined with Primer Fibra and Potenzio Fibra, it's ideal for waterproofing difficult substrates: irregular and uneven floors. Our waterproofing system "Primer Fibra + Potenzio Fibra + Resinfibra" is easy to install and maintain.

Primer: Primer Fibra.

Supports

any type

Consumption

1,4 Kg/m² applied in two or more layers

Equipment

brush, spatula, roller and airless

Price List

20 Kg..... € 6,10/Kg

5 Kg..... ₹ 7,40/Kg



light grey (other colors on demand)

Colour



eady to











THE BREATHING WATERPROOF

THE FUTURE IS ALREADY HERE!

Polyurethane waterproofing membrane, elastic and coloured. Our Poligold is a breathable and walkable product, offering great resistance to adverse weather conditions and the hot/cold cycle. It maintains its properties from +80°C to -20°C. Resistant to water stagnation. It ensures a minimum durability of 7 years; additional 5 years are guaranteed with another layer of product. It guarantees natural transpiration on supports as wood and cement.

Primer: Poligold diluted 30-35% with water.

Supports

bituminous membranes, cement, tiles, wood

Consumption

1,6 Kg/m² applied in two layers

Equipment

brush, spatula, roller and airless

Price List

20 Kg..€ 9,16/Kg 5 Kg... other colors can be quoted on request

Colours white, grey, red, (other colours on demand)







THE TRANSPARENT WATER STOPPING PRODUCT

Transparent single-component polyurethane product. Polisuper creates a film on the floor by creating a shiny, waterproof and walkable barrier. Easy to clean and wash. Resistant to alkalis and chemicals.

Primer: POLIPRIMER, specific polyurethane adhesion promoter for our POLISUPER; consumption of 100 -200 gr/m². Not recommended on porous surfaces, as cement; in in this case it is preferable to dilute with POLISOLV the first two coats of Polisuper respectively 40% and 20%.

Supports

ceramic, cement, tiles

Consumption

500 gr/m² applied in two layers

POLISUPER

20 Kg.....€ 50,00/Kg

POLIPRIMER

4 Kg...€ 39,06/Lt

POLISOLV

.€ 12,93/Lt

Equipment

WITH UNIPOL-SAI over 400 m

brush and roller

1 Lt....

Colour transparent skinned



...€ 16,60/Pc



H

PENETRATES THE FLOOR AND PROTECTS IT

INVISIBLE PROTECTION

Transparent liquid silicone layer. It is a concentrated solution of silicone resins used to waterproof horizontal surfaces with macroporosity and cracks; it eliminates water infiltration without the need for radical renovation of floors, balconies, terraces and walkable surfaces. The product permeates the mortar of the joints and between the tiles acting directly on the substrate of the support, thus defending it from future infiltrations.

Supports

ceramic, tiles

Consumption

150 - 300 gr/m²

Equipment

brush and roller

Price List

5 Lt..... 95,00/Lt

Colour

transparent, non-pellicular









EN 14891



WITH UNIPOL-SAI over 400 m

ALSO IN VERSION NO LIMITS

FLEXIBLE AND WATERPROOF

One-component waterproof mortar, easy to prepare: it only requires mixing with water. It is ideal, before the application of the tiles, for terraces, swimming pools, balconies; it is suitable for concrete and masonry structures protection. For deformable surfaces or subjected to structural movements, a 4x4 mm glass or synthetic fibre mesh must be inserted, after the first coat of the product.

No Limits, is the additive that, when added entirely to Bigum mortar (product + water), gives incomparable elasticity and impermeability.

Supports

cement, concrete, masonry

Consumption

3 Kg/m² applied in two layers

Equipment

spatula, wheeled squeegee

Price List

15 Kg......€ 4,10/Kg

No Limits Additive - 8 Kg..... 12,96/Kg

Colour

grey





WATERPROOF ADDITIVE FOR CEMENTITIOUS **MORTARS - WATER REPELLENT**

Additive used to waterproof and add flexibility to cement mortars and concretes.

The substrate, as well as the reinforcement iron, will be therefore protected against aggressive and pollutants rain. Mixed with plasters and mortars, it improves breathability and blocks efflorescence migration, eliminating it from the surface. Idrostop does not change the setting and drying times of mortars.

Additive for

cementitious mortars and concrete

Dosage

1 - 3% compared to the weight of cement

Price List

18 Lt..... Colour white



eady to use

A

Whiteglass







PROTECTS WHILE DISSIPATING HEAT

Whiteglass is a white acrylic varnish with a high sun's rays reflective index, especially resistant to weathering agents. Its thermal insulation characteristics extend life and efficiency of waterproofing systems. The application of Whiteglass will reduce the internal temperatures in the compartment below by 5/6°C: this guarantees considerable energy saving.

Primer: Primer C or Whiteglass diluted to 20-25% with

made with: 3M Glass Bubbles

Supports

bituminous membranes, concrete

Consumption

500 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

20 Kg..... € 6,80/Kq

WHITESOL (solvent) Super-reflective white paint 20 Kg...... € 9,96/Kg





eady to use

COURTGOID QUARZ WATER PAINT

TURNS RAIN INTO RAINBOW

Coloured acrylic protective paint, with high covering power, thanks to resin and pigments. Used to protect waterproofing bituminous membranes from ultraviolet rays, it extends their life and protects them from wear and tear. It gives good results on concrete, too.

Primer: Primer C or Covergold diluted to 20-25% with

Price List

White 20 Kg.....€ 6,80/Kg Grey 20 Kg.....€ 6,20/Kg

Supports

bituminous membranes, concrete

Consumption

500 gr/m² applied in two layers

Equipment

brush, roller and airless

Red 20 Kg....... 5,40/Kg Green, Yellow, Blue 20 Kg...... ₹ 7,80/Kg





Colours

green, grey, red, white, yellow, blue





ready to us

Gammacolor

COMBINES PRICE AND QUALITY

Protective paint, styrene acrylic resins based, in water emulsion, is used to protect bituminous waterproofing membranes, both prefabricated and liquid, from ultraviolet rays. It gives good results on concrete, too. It offers good coverage and durability at an advantageous price.

Primer: Primer C or Gammacolor diluted to 20-25% with

Supports

bituminous membranes, concrete

Consumption

500 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

20 Kg.....€ 3,30/Kg **Green 20 Kg**.....€ 4,00/Kg





Colours green, grey, red, white



ready to use





SHINES AND LASTS OVER TIME

Brillo is a fast-drying, solvent-based aluminium paint with high reflective qualities. Its high performance is due to the high percentage of aluminium paste used, its high quality and the use of pure solvents. It protects prefabricated and non-prefabricated bituminous membranes from the deteriorating action of ultraviolet rays and other atmospheric agents, extending their life and performance. It is also valid as a protection for tanks and external pipes.

Supports

bituminous membranes

Consumption

300 - 400 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

Large...... € 147,96/Pc Small...... € 51,10/Pc

Colour aluminum



ready to use

Silvertop

PROTECTIVE ALUMINIUM

Aluminium-coloured, synthetic resin and solvent -based protective agent with good reflective qualities. Its main function is to protect bituminous waterproofing membranes from the deteriorating action of atmospheric agents, expecially ultraviolet rays, and to ensure long life to waterproofing.

Supports

bituminous membranes

Consumption

300 - 400 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

Large...... € 97,92/Pc Small..... € 37,20/Pc



Colour aluminum



ready to use



THE ECOLOGICAL BRILLIANCE

Alluminio Eco is an environmentally friendly protective aluminum paint, produced in water emulsion, with excellent covering and reflective properties. It is resistant to atmospheric agents and ultraviolet rays, protecting and giving long life to bituminous waterproofing membranes.

Primer: Primer C or Alluminio Eco diluted to 20-25%

COPPER copper coloured version, ecological and reflective too; does not require primer.

Supports

bituminous membranes

Consumption

300 - 400 gr/m² applied in two layers

Equipment

brush, roller and airless

ALLUMINIO ECO

Large......€ 135,00/Pc **Medium**......€ 86,40/Pe

COPPER (copper-colored alternative)

18 Lt.....€ 13,64/Lt **10 Lt**.....€ 15,50/Lt



Colour

(Copper copper-colored alternative)

aluminum

dy to ase



A GOOD START MAKES HALF THE JOB!

Primer 70 metri is a bituminous primer, excellent adhesion promoter for any subsequent application, of both liquid and roll membranes. It consists of oxidised bitumen and regenerated high penetration solvents, chlorine-free. It can also be used as a waterproofing agent of wall surfaces, wood and metal structures too.

Supports

any type

Consumption

150 - 300 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

Large...........€ 42,00/Pc Medium......€ 30,00/Pc Small...€ 21,10/Pc

Colour black





HIGH PENETRATION, FAST DRYING

Primer 70 metri Gold is a high performance bituminous paint, obtained with first choice pure solvents (not regenerated) and selected oxidized bitumen. Mainly used for application of bituminous waterproofing membranes, both liquid and in rolls, it adheres quickly on every surface. It can also be used as a water-repellent paint on wall surfaces, wood or metal surfaces.

Supports

any type

Consumption

150 - 300 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

70 metri Gold... .€ 72,00/Pc Colour black





THE ECOLOGICAL QUICK-DRYING SOLUTION

Primer 70 metri Eco is an ecological bituminous primer, obtained in water emulsion, suitable to facilitate adherence to the support of bituminous sheaths, whether liquid or in rolls. It consists of selected emulsifiable bitumen, water and additives that allow for rapid drying.

Supports

any type

Consumption

150 - 300 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

70 metri Eco...... ...€ 43,92/Pc











THE ALTERNATIVE TO BITUMINOUS PRIMERS

Primer C is an acrylic glue, based on styrene resins, obtained in water emulsion, ideal for gluing insulation panels in polystyrene and polystyrene on plasterboard. Very useful to prevent the detachment, or to proceed to the anchoring of the slate flakes from the prefabricated sheets. It can also be used as a primer on cementitious surfaces before using cementitious products on them (cast and prefabricated concrete walls), i.e. before applying gypsum-based finishes. It is the ideal adhesion promoter for all Cimar acrylic membranes.

Supports

any type

Consumption

300 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

18 Lt.....€ 6,91/Lt **5 Lt**.....€ 8,20/Lt

Colour trasparent



ready to use

FBBA

THE SOLUTION FOR UNEVEN SURFACES

The combined application of Primer Fibra and Potenzio Fibra, (300 gr/m²), provides a solid anchorage base for subsequent applications. Primer Fibra + Potenzio Fibra + ResinFibra, is our ideal waterproofing System both for difficult substrates and for normal waterproofing. Consult the waterproofing Systems on our site.

Supports

any type

Consumption

600 - 800 gr/m²

Equipment

brush, roller and airless

Price List

18 Lt.....€ 6,30/Lt

Colour light green



ready to use

damp primer quinta = tagione

PRIMER FOR HUMID SUBSTRATES

Quinta Stagione allows the application of Cimar's liquid coatings on slightly damp substrates, avoiding the formation of bubbles. It is therefore an alternative binder to the primer, to be used when placing a barrier to the moisture content of the substrate. As soon as the product has completely dried, it will be possible to apply the product. Apply on clean and slightly moist substrates.

Supports

any type, slightly moist

Consumption

200 - 250 gr/m²

Equipment

brush, roller and airless

Price List

18 Lt..... € 10,50/Lt

LOGICAL



Colour trasparent



o+ Apres

ULTRAGrip®

Universal bonding agent

based on elastic resins in aqueous emulsion





PROMOTES APPLICATION

Ultragrip is used for indoor and outdoor applications, to ease the adhesion of plasters, smoothing, mortars for restoration or premixed for coats, on wooden surfaces, insulating panels, wall paints, bricks, ceramics, concrete, metal, gypsum and cellular cement surfaces. Wait about 6/8 hours before applying the second coat; the drying time, before continuing with the work, is 18/24 hours. Do not apply plasters more than 2 cm thick.

Supports

any type

Consumption

200 - 300 gr/m² applied in two layers

Equipment

brush, roller

Price List

20 Kg.....€ 5,56/Kg **5 Kg**.....€ 7,00/Kg

10 Kg..... € 6,40/Kg

Colour pink



asil of vice

FINGrip[®]

Sealing fixative for walls

synthetic resins-based in water emulsion





CONSOLIDATES BEFORE FINISHING

Fixative and consolidating agent for external and internal wall surfaces, based on acrylic copolymers in water emulsion. Suitable for use on cementitious mortar, lime, bastard mortar or equivalent plasters, gypsum plaster for interiors, old paints or coatings.

Supports

mortar, lime, plaster, gypsum

Consumption

100 ml/m²

Equipment

brush, roller and airless

Price List

5 Lt.....€ 6,10/Lt **2 Lt**.....€ 7,46/Lt

Colour trasparent



ready to use



PRIMER AND WATER-REPELLENT PAINT

Ghost is an adhesion promoter for **metal substrates** and an excellent **water repellent for porous substrates.** It contributes to the consolidation of the substrate, favouring the application of water-based paints or wall coverings, improving their performance over time. It is used as a primer for MEMBRANA GOLD in the asbestos encapsulation protocol.

Supports

any type

Consumption

150 - 300 gr/m² applied in two layers

Equipment

brush, roller and airless

Price List

18 Lt.....€ 7,90/Lt **5 Lt**.....€ 10,00/Lt

Colour trasparent



eady to use

RELEASE AGENTS

Forcément

DISARMING AGENT FOR WOODEN FORMWORKS

Forcement is an emulsifiable, high-concentration release agent for wooden formworks. The product is used as a release agent for all types of formwork, both horizontal and vertical, smooth or rough. Dilute with water in a ratio of 1:10 to 1:20.

Supports

wood

Consumption

1 Lt/30-50 m² of formwork

Equipment

brush and airless

Price List

25 Lt..... € 5,70/Lt

10 Lt..... € 6,45/Lt

Colour light yellow



Ferrostac

DISARMING AGENT FOR METAL FORMWORKS

Highly concentrated release oil, used to detach metal formworks from concrete or cement products in general: it allows the formworks to be quickly detached from the hardened cement structure. The use of Ferrostac avoids the need to clean the formworks, thus guaranteeing them a longer life.

Supports

metal

Consumption

10 - 15 gr/m²

Equipment

brush and airless

Price List

25 Lt..... 8,44/Lt

Colour



ready to use

dilute with

Bellostac

DISARMING AGENT FOR EXPANDED POLYSTYRENE FORMWORK

Bellostac is a gelatinous disarming agent used as mould release agent or formwork detacher in expanded polystyrene.

Supports

polystyrene

Consumption

160 - 170 gr/m²

Equipment

brush

Price List

5 Lt.....€ 7,78/Lt

Colour light yellow



eady to us

Freew

MAKES THE WATERPROOF COAT ALIVE

Pedestrian waterproofing coating, acrylic- based, in

water emulsion, elastic and resistant. FREEWAY,

walkable and non-slip, is the ideal product for covering

terraces, roofs, canopies and coverings in general. It

will give life to the support on which it is applied, making it suitable for walking; it can be used as a base







Colours

yellow and light blue



green, grey, red,



for tables, chairs, swings, plants, etc.. Primer: Primer C.

wet conditions.

spatula, wheeled squeegee **Price List**

tiles, wood

Consumption

Equipment

20 Kg..... € 6,50/Kg

Homogeneous supports

3 Kg/m² applied in two layers

bituminous membranes, cement,

Green 20 Kg...... ₹ 7,00/Kg



Supports

bituminous conglomerates and cementitious

Consumption

3 Kg/m² applied in two layers

Equipment

spatula, wheeled squeegee

Price List

Red, Green, Grey 25 Kg.....€ 5,49/Kg Other Colours 25 Kg..... € 6,60/Kg



red, green (other colours on request)





REFRACTIVE TRAFFIC DIVIDER PAINT

COATS SURFACES AND GIVES COLOR

Sport&Color is a thick coating based on styrene acrylic

resins in water emulsion, particularly resistant to

mechanical wear and weathering. Used for finishing

tennis, basketball and five-a-side courts, on bituminous and cement conglomerates. It is non-slip even in

Road&Color: specific version for the creation of cycle

Primer: Primer C oR Sport&Color diluted to 20-25% with

Traffic is the ideal solution for any type of horizontal signage. Consisting of glass microspheres, the paint has excellent refractive properties. Product intended for professional applicators.

Supports

any type

Consumption

1 m²/Kg

Equipment

line tracer machines

Price List

White 30 Kg.....€ 6,60/Kg White 8 Kg.....€ 8,00/Kg

for colors on request prices are to be agreed

Colours

white (other colours on request)



dilute max 5% with nitro

E

SUPERK

FLOORING ADHESIVE

SUPER K is a special adhesive based on mixed alloys (cement and resins) classified C2 TE 51 Maxi, designed and realized for the installation of tiles on the liquid fiber reinforced membrane (Membrane Gold FR) and on the cement based membrane (BIGUM) of Cimar. Therefore it gives the same performance on any type of support, also radiant floors and insulating panels.

Supports

Waterproofed surfaces, radiant floors and insulating panels

Consumption

5 Kg/m²

Equipment

toothed spatula

Price List

25 Kg...... 30,00/Pc

Colour

grey



nead with water



BITUMINOUS SOLVENT-BASED ADHESIVE

Excellent for cold application of prefabricated bituminous membranes. The cold application system eliminates the inconvenience of using open flames and makes it possible to carry out specific repairs, too. It reduces the negative effects of any cracks in the substrate by creating an intermediate waterproof layer between the substrate and the waterproofing membrane, thus making it easier to identify any water leaks. The use reduces the tension generated by sudden changes in temperature on the visible surfaces and the formation of creases.

Supports

concrete, bituminous membrane, wood, expanded polyurethane, rock wool, expanded perlite

Consumption

1-1,2 Kg/m²

Equipment

toothed spatula or long handle spatula

Price List

18 Kg......€ 4,60/Kg

Colour

black



eady to use

IDROGENIUS

SAVE YOUR FLOOR, DON'T REMOVE IT

It acts by penetrating into the porosity of the support with the formation of a water-repellent, invisible, vapour-permeable, microporous membrane. This barrier, sealing the macropores, determines the water repellency of the support to the rainwater; since it does not block the micropores, it allows the passage of steam. Specific for ceramic, stoneware, stone, klinker, terracotta, concrete, reinforced concrete and wood floors, it permeates the substrate by creating a breathable, water-resistant barrier.

Supports

ceramic, stoneware, stone, klinker, terracotta, concrete, reinforced concrete and wood floors.

Consumption

Values on different surfaces for 1 Lt of product

very porous surfaces approx. 10 m² (concrete, etc.) medium porous surfaces approx. 15 m² (tiles, stoneware, etc.) slightly porous surfaces approx. 25 m² (klinker, etc.)

Equipment

brush, roller, airless

Price List

Colour trasparent

Cimar DRO

ready to use

1 Lt.....€ 47,00/Pz

Potenzio

It is fabric made 100% with special polyester fibres:

- hypoallergenic
- indecomposable
- weatherproof
- · adaptable to all surfaces.

POTENZIO provides a valid help as a liquid waterproofing reinforcement. Thanks to its flexibility, it ensures excellent adaptation to the surfaces to be treated, and with its extreme permeability it forms a single body with the waterproof liquid.

			UM
WEIGHT	ISO 9073-1	70	g/m²
THICKNESS	ISO 9073	0,55	
BREAKING LOAD L T	EN 12311-1	250 80	N/5 cm
LENGTH IN BREAK L	EN12311-1	15 30	

It is a universal reinforcement fabric for the liquid sheaths produced by Cimar.

It can be applied both as a reinforcement of our liquid membranes and as a protection and porous support to facilitate the adhesion of the adhesive of the new flooring on the waterproofing system applied. It is supplied in rolls 1 m high per 100 m long and 20 cm high per 50 m long.

POTENZIO BANDELLA ELASTICA

Features:

Special textile-reinforced elastomer tape with fabric - Very elastic, resistant to ageing and tearing Compatible with commercially available tile adhesives and all other adhesives Cimar liquid waterproofers.

Areas of application: Reinforcement of edges, corners and expansion joints.

Technical data:

Overall width [mm] ~ 120
Coating width [mm] ~ 70
Overall thickness [mm] ~ 0,6
Burst pressure [bar] ~ 3
Max. longitudinal drive with a test
length of 15 mm [N] ~ 115
Max. transverse drive with a test
length of15 mm [N] ~ 30
Elongation at break, longitudinal [%] ~ 25

Elongation at break, transverse [%] \sim 140 Thermal resistance from/to [$^{\circ}$ C] - 30 / + 90

POTENZIO FIBRA

Needled glass fiber from 300 gr/m². Our Potenzio Fibra, applied with Primer Fibra, thanks to the glass fibre solidity, and the adhesion qualities of Primer Fibra is the ideal basis to consolidate difficult substrates, thus preparing the substrate for the subsequent laying of the waterproofing product.

Performance:

- excellent compatibility with water-based acrylic or polyurethane membranes;
- good tensile strength with flexibility;
- highly soluble resin-based binder;
- excellent fibre distribution;
- uniformity of weight;
- excellent translucency.

PRICE LIST

POTENZIO 20 cm x 50 m €55,00/roll 1 m x 100 m €185,00/roll

POTENZIO FIBRA € 12,80/Kg

POTENZIO BANDELLA € 102,00/Pc 1Pc=7cm/50m



AVOIDS RUN-OFFS

Speedy is an accelerator used to allow the application of Cimar waterproofing membranes even in adverse weather conditions, as temperatures below 5°C and humidity up to 95%. The product creates a protective film on the surface of the coating in order to protect it from rain and atmospheric agents, in the first delicate hours after application.

Use as an additive for

EXTRALARGE (only with the words "I accept Speedy") STARGLASS

FREEWAY MEMBRANA GOLD MEMBRANA GOLD FR

1 x 18 or 20Kg tin box

Price List

POLIGOLD

1 Pc.....€ 13,34 **20 Pcs**.....€ 250,00 **10 Pcs**.....€ 133,00 **30 Pcs**.....€ 360,00 **Colour** beige



ready to us



AVAILABLE ON REQUEST



Liquid Coating for small repairs black, red, white, grey, green pack of 20 Kg...... € 3,67/Kg green 20 Kg...... € 4,12/Kg



Coloured acrylic protector red, white, grey, green pack of 20 Kg......€ 2,45/Kg green 20 Kg......€ 2,77/Kg



Economic protective paint red, white, grey, green pack of 20 Kg.................€ 1,67/Kg green 20 Kg.................€ 1,89/Kg

